


NOTE: WIRE NUMBERS ON THIS SHEET ARE REFERENCED TO HARNESS PLUGS.

- CONNECTOR #51
 1) (RED) RR SENSE
 2) (GREEN) RS SENSE
 3) (BLACK) FR SENSE
 4) (YELLOW) LS SENSE
 5) (WHITE) GROUND



- CONNECTOR #33
 1. RED(W6125) ACC. +12V
 2. BLK(W6825) ACC. RETURN
 3. BLK(W7530) NOT USED
 4. N/C
 5. BLK(W7610) LAMP CONTROL
 6. BLK(W7503) PUMP REQUEST
 7. N/C
 8. BLK(W7501) EXTEND
 9. BLK(W7502) RETRACT

- CONNECTOR #21
 1. N/C
 2. N/C
 3. N/C
 4. BLK(W5707) - LOCKED LIMIT SW.
 5. BLK(W5703) - ROOM IN LIMIT SW.
 6. BLK(W5704) - ROOM OUT LIMIT SW.
 7. N/C
 8. BLK(W5701) - UNLOCKED LIMIT SW.
 9. WHT(W6230) - COMMON GROUND

NOTE: INSTALLATION MUST CONFORM TO GOOD SHOP PRACTICES, SAE STANDARDS, RVIA STANDARDS, AND OTHER APPLICABLE STANDARDS.

			HWH I-80 EXIT 267 SOUTH RT 1 MOSCOW, IOWA 52760		
			SCALE 1:3	DATE 10JUL98	DRAWN BY .
2	16MAY08	ADDED NOTE, WAS A/D	SCHEMATICS SYSTEM		
1	02NOV98	NEW WIRE # STANDARDS			
NO.	DATE	REVISION			
THE INFORMATION DISCLOSED ON THIS DRAWING IS CONFIDENTIAL AND MUST NOT BE DISCLOSED OR USED IN ANY MANNER WHICH WILL BE DETRIMENTAL TO THE HWH CORPORATION			ELECTRICAL		DRAWING NUMBER MP88229 A/C

