

I. PRODUCT AND COMPANY IDENTIFICATION

**Product Name: HWH LOW TEMP HYD OIL 12/10T** 

**Product Code:** HWFSDMPL

**Emergency Phone:** (800) 424-9300 (CHEMTREC) (202) 483-7616

**Poison Control** (800) 222-1222

Center:

Company: Warren Distribution, Inc.

> 727 S. 13th St. Omaha, NE 68102

**Information Phone:** (800) 825-1235 (402) 341-9397

**Revision Number:** 

II. HAZARDS IDENTIFICATION

**Routes of Entry:** None Known

**Chemical Interactions:** No chemical interaction known to affect toxicity.

**Medical Conditions** 

Aggravated by **Exposure:** 

No medical conditions affected by exposure.

**Acute Health Effects:** 

**Inhalation Irritation:** Inhalation of vapors (generated at high temperatures only) or oil mist may cause mild

irritation of the nose, throat, and respiratory tract.

Lubricating oils are generally considered no more than minimally irritating to the skin. **Skin Contact:** 

**Skin Absorption:** Minimal hazard in normal industrial use. May cause gastrointestinal discomfort.

**Eve Contact:** Lubricating oils are generally considered no more than minimally irritating to the eyes.

May cause slight irritation of the eyes.

Although this product has a low order of acute oral toxicity, aspiration of minute **Ingestion Irritation:** 

amounts into the lungs during ingestion or vomiting may cause mild to severe

pulmonary injury and possibly death.

**Chronic Health** 

**Effects:** 

Carcinogenicity: Not a carcinogen according to NTP, IARC, or OSHA.

**Toxicity:** 

Reproductive No data available to indicate product or any components present at greater than 0.1%

may cause birth defects.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% is

mutagenic or genotoxic.

Inhalation: Upon prolonged and/or repeated exposure, no hazard in normal industrial use.

Prolonged and repeated contact may result in defatting and drying of the skin that may **Skin Contact:** 

cause various skin disorders such as dermatitis, folliculitis, or oil acne. Other adverse

Revision Date: 2010-12-01 11:31:41



Revision Date: 2010-12-01 11:31:41

effects not expected from brief skin contact.

**Skin Absorption:** Upon prolonged or repeated exposure, minimal hazard in normal industrial use. May

cause gastrointestinal discomfort.

HMIS Ratings:Health:1Health:1Fire:1Fire:1Reactivity:0Reactivity:0

PPE: B

KEY: 0 - Least 1 - Slight 2 - Moderate 3 - High 4 - Extreme

#### III. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	%	CAS#	<b>OSHA Exposure Limits</b>
Distillates, severely hydrotreated light paraffinic	30 - 60	64742-55-8	No PEL established
Petroleum distillates, hydrotreated heavy paraffinic	10 - 30	64742-54-7	No PEL established

Components not listed are not physical or health hazards as defined in 29 CFR 1910.1200 (Hazard Communication Standard).

## IV. FIRST-AID MEASURES

**Inhalation:** Remove to fresh air. If breathing is difficult, have a trained individual administer

oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. If overcome by vapor from hot product, immediately remove victim to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately. If

overexposed to oil mist, remove from further exposure.

Eyes: Flush with water. If irritation occurs, get medical attention. Rest eyes for 30 minutes.

If redness, burning, blurred vision, or swelling occur, transport to nearest medical

facility for additional treatment.

**Skin Contact:** Remove contaminated clothing and shoes and wipe excess from skin. Flush skin with

water then wash with soap and water. If irritation occurs, get medical attention. Do not reuse clothing until cleaned. If redness, swelling, pain, and/or blisters occur, transport to

the nearest medical facility for additional treatment.

**Ingestion:** Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention

immediately. Provide medical care provider with this MSDS.

**Notes to Doctor:** Aspiration during swallowing or vomiting may severely damage the lungs.

## V. FIRE FIGHTING MEASURES

Flammability Combustible at elevated temperatures Summary:

**Extinguishing Media:** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water

or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into

the hot burning liquid.



Fire and/or Explosion Hazards:

Material may be ignited only if preheated to temperatures above the high flash point, for

Revision Date: 2010-12-01 11:31:41

example in a fire.

Fire Fighting Methods and Protection:

Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

Hazardous

Carbon dioxide, Carbon monoxide

**Combustion Products:** 

**Flash Point:** 193 °C (379 °F)

**Autoignition Temperature:** 

No data

# VI. ACCIDENTAL RELEASE MEASURES

Personal Precautions and Equipment:

No health affects expected from the clean up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this

MSDS.

**Methods for Clean-up:** 

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section 8 at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal

evaluation. Do not flush to sewer.

## VII. HANDLING AND STORAGE

Handling Precautions: Mildly irritating material. Avoid unnecessary exposure.

**Storage Conditions:** Store in a cool dry ventilated location. Isolate from incompatible materials and

conditions. Keep container(s) closed. Do not expose to extreme temperatures or

flames.

#### VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** No exposure limits exist for the constituents of this product. No engineering controls are

likely to be required to maintain operator comfort under normal conditions of use.

Respiratory Protection:

No respiratory protection required under normal conditions of use.

**Respirator Type(s):** None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory

protection.

Eye Protection: Wear safety glasses when handling this product if there is a likelihood of contact with

eyes.

**Skin Protection:** Not normally considered a skin hazard. Where use can result in skin contact, practice

good personal hygiene. Wash hands and other exposed areas with mild soap and water

before eating, drinking, and when leaving work.



Gloves: Neoprene gloves are recommended.

**Control Parameters:** 

Chemical Name ACGIH TLV-TWA ACGIH STEL IDLH OSHA STEL

Revision Date: 2010-12-01 11:31:41

Distillates, severely hydrotreated light No TLV No STL No IDLH No STEL

paraffinic

Petroleum distillates, hydrotreated heavy No TLV No STL No IDLH No STEL

paraffinic

#### IX. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Color: Red
Odor: Mild

**Viscosity:** 7.36 cSt @100°C

**Solubility in Water:** Insoluble **Evaporation Rate:** No data Vapor Pressure: No data **Boiling Point (°C):** No data **Specific Gravity:** 0.85 **Density:** 7.08 Flash Point (°C): 193 **Flash Point Method:** COC Unknown **Upper Flammability** 

Limit, % in air:

Lower Flammability

Unknown

Limit, % in air:

#### X. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to Avoid:** Temperatures above the high flash point of this combustible material in combination

with sparks, open flames, or other sources of ignition.

Materials to Avoid: Strong oxidizing agents

Hazardous Decomp.

**Products:** 

Carbon monoxide, sulfur oxides, aldehydes, and other petroleum decomposition products in the case of incomplete combustion. Oxides of nitrogen, phosphorus,

calcium, copper, magnesium, sodium, and hydrogen sulfide may also be present.

Hazardous Will not occur.

**Polymerization:** 

### XI. TOXICOLOGICAL INFORMATION

**Acute Toxicity:** 

**Ingestion:** Lubricating oils are generally no more than slightly toxic if swallowed.

**Inhalation:** Toxic! Can cause systemic damage (see "Target Organs"). Respiratory failure is

possible at high doses.

**Absorption:** Minimal hazard in normal industrial use. May cause gastrointestinal discomfort.



No data. Eyes (Draize score):

Skin (Draize score): No data.

**Sensitization:** No data.

**Component Toxicology Data (NIOSH):** 

**Chemical Name CAS Number** LD50/LC50

64742-55-8

Petroleum distillates, hydrotreated light paraffinic

Petroleum distillates,

64742-54-7

hydrotreated heavy paraffinic

Inhalation LC50 Rat 2.18 mg/L 4 h; Oral LD50 Rat >5000 mg/kg;

Revision Date: 2010-12-01 11:31:41

Dermal LD50 Rabbit >2000 mg/kg

Inhalation LC50 Rat 2.18 mg/L 4 h; Oral LD50 Rat >2000 mg/kg;

Dermal LD50 Rabbit >2000 mg/kg

#### XII. ECOLOGICAL INFORMATION

Moderate ecological hazard. This product may be dangerous to plants and/or wildlife. Overview:

**Persistence:** No data.

**Bioconcentration:** Bioconcentration is not expected to occur.

Degradability: No data.

<b>Toxicity to Aquatic Invertebrates:</b>	CAS Number	Results
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	48 Hr EC50 Daphnia magna: >1000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	48 Hr EC50 Daphnia magna: >1000 mg/L
Diphenylamine	122-39-4	48 Hr EC50 Daphnia magna: 1.69 - 2.46 mg/L
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	48 Hr EC50 Daphnia magna: >1000 mg/L
Diphenylamine	122-39-4	72 Hr EC50 Desmodesmus subspicatus: 0.048 mg/L
<b>Toxicity to Fish:</b>	CAS Number	Results
Petroleum distillates, hydrotreated light paraffinic	64742-55-8	96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L
Petroleum distillates, hydrotreated heavy paraffinic	64742-54-7	96 Hr LC50 Oncorhynchus mykiss: >5000 mg/L

#### XIII. DISPOSAL CONSIDERATIONS

**Disposal of Packaging:** Recycle containers whenever possible.

Dispose of according to Federal, State, Local, or Provincial regulations. Recycle used **Disposal Methods**:

## XIV. TRANSPORTATION INFORMATION

DOT & IMDG: NOT RESTRICTED



XV. REGULATORY INFORMATION

**TSCA Status:** A component or components of this product are listed on the TSCA Inventory of

Revision Date: 2010-12-01 11:31:41

Existing Chemical Substances.

**NAFTA Tariff Code:** 2710.11.0000

**State Restrictions:** ND

**WHMIS:** This is not a WHMIS controlled product.

Chemical Name None Listed.	CAS Number	Regulation CERCLA RQ	% Range
Diphenylamine	122-39-4	SARA 313	0.01 - 0.1
None Listed.		SARA 302-Extremely Hazardous Substances	
None Listed.		TSCA 12b export notification	
None Listed.		CA Prop 65 – Cancer	
None Listed		Canadian WHMIS List	
Mineral oil, petroleum distillates, hydrotreated light paraffinic	64742-55-8	Massachusetts RTK List	30 - 60
None Listed.		New Jersey RTK List	
None Listed.		Pennsylvania RTK List	
None Listed.		Minnesota Hazardous Substance List	
None Listed.		Rhode Island Hazardous Substance List	
Petroleum distillates, hydrotreated light	64742-55-8	Canadian Domestic Substance	30 - 60
paraffinic Petroleum distillates, hydrotreated	64742-54-7	Canadian Domestic Substance	10 - 30
heavy paraffinic Dibutyl phosphite	1809-19-4	List Canadian Domestic Substance List	0.01 - 0.1
Diphenylamine	122-39-4	Canadian Domestic Substance List	0.01 - 0.1
Petroleum distillates, hydrotreated light naphthenic	64742-53-6	Canadian Domestic Substance List	0.01 - 0.1

Consumer Product Safety Improvement Act of 2008 General Conformity Certification:



The Supplier identified in Section 1 of this MSDS has evaluated this product and certifies it to be labeled and packaged in compliance with the applicable provisions of the Federal Hazardous Substance Act as stated in 16 CFR 1500 and enforced by the Consumer Product Safety Commission, and where applicable the products that require Child Resistant Closures are packaged in accordance with the Poison Prevention Packaging Act as stated in 16 CFR 1700 and enforced by the Consumer Product Safety Commission. All closures have been tested in accordance with the latest protocols. No other testing is required to certify compliance with the above. The date of manufacture is stamped on the product container.

Revision Date: 2010-12-01 11:31:41

#### XVI. ADDITIONAL INFORMATION

**Superseded by:** 2010-09-16 10:08:34 **Revision Date:** 2010-12-01 11:31:41

**Created by:** HAZEMS

**Disclaimer:** This material safety data sheet and the information it contains is offered to you in good faith as accurate. We have

reviewed any information contained in the data sheet which we have received from outside sources and we believe the information to be correct, but cannot guarantee its accuracy or completeness. Health and safety precautions in this data sheet may not be adequate for all individuals and/or situations. It is the user's obligation to evaluate and use this product in a safe manner and to comply with all applicable laws and regulations. No statement made in this data sheet shall be construed as permission or recommendation for the use of any product in a manner that might infringe existing

patents. No warranty is made, either expressed or implied.