



ORIENTATION  
FRONT



- NOTE: HOSES A AND B ARE INCLUDED WITH THE ROOM EXTENSION MECHANISM
- A .25" I.D. HOSE ROD END - ALWAYS PRESSURIZED
  - B .25" I.D. HOSE CAP END
  - C .125" I.D. HOSE ROD END - ALWAYS PRESSURIZED - MUST BE HIGH PRESSURE HOSES OF EQUAL LENGTH AND DIAMETER

- D .125" I.D. HOSE CAP END - MUST MAINTAIN EQUAL LENGTH AND DIAMETER
- E AP24632 HOSE ASSY HM/H02HP X 48' ROD END - ALWAYS PRESSURIZED - MUST BE HIGH PRESSURE HOSES OF EQUAL LENGTH AND DIAMETER
- F AP24818 HOSE ASSY HM/H02HP X 86' CAP END - MUST MAINTAIN EQUAL LENGTH AND DIAMETER



SIDE VIEW PUMP/MANIFOLD-AP32369  
LOCATION AND ORIENTATION OF PUMP/MANIFOLD ASSEMBLY WILL DIFFER DEPENDING UPON D.E.M.

NOTE: INSTALLATION MUST CONFORM TO GOOD SHOP PRACTICES, SAE STANDARDS, RVIA STANDARDS, AND OTHER APPLICABLE STANDARDS.

CONTROL PACKAGE: AP41692

NO.	DATE	REVISION

THE INFORMATION DISCLOSED IN THIS DRAWING IS CONFIDENTIAL AND MUST NOT BE DISCLOSED OR USED IN ANY MANNER WHICH WILL BE DETRIMENTAL TO THE IAH CORPORATION

HW H 1-80 EXIT 267 SOUTH  
RT 1 MOSCOW, IOWA 52760

SCALE 1:6 DATE 19DCT07 DRAWN BY .

HYD CONN DIAGRAM

TITAN TRAILER DRAWING NUMBER MP69912