



FRONT VIEW - AP48445



- PIN
- A1. RED(W6120) - ACCESSORY
 - A2. YELLOW - CAN HIGH
 - A3. N/C
 - A4. N/C
 - A5. N/C
 - A6. BLK(W2210) - RIGHT FRONT AIR PRESSURE SWITCH
 - A7. N/C
 - A8. N/C
 - B1. RED(W6122) - TOUCH PANEL POWER
 - B2. GREEN - CAN LOW
 - B3. N/C
 - B4. N/C
 - B5. N/C
 - B6. N/C
 - B7. N/C
 - B8. N/C
 - C1. RED(W6121) - LEVEL SENSOR POWER
 - C2. CAN SHIELD
 - C3. WHT(W6231) - LEVEL SENSOR GROUND
 - C4. BLK(W0400) - REAR SENSE
 - C5. N/C
 - C6. BLK(W9900) - SPEED SWITCH
 - C7. N/C
 - C8. BLK(W0300) - RIGHT SIDE SENSE
 - D1. RED(W6102) - SW. BATTERY
 - D2. WHT(W6232) - PRESSURE SWITCH GROUND
 - D3. WHT(W6230) - SYSTEM GROUND
 - D4. N/C
 - D5. BLK(W1210) - LEFT FRONT AIR PRESSURE SWITCH
 - D6. BLK(W0100) - LEFT SIDE SENSE
 - D7. BLK(W0200) - FRONT SENSE
 - D8. BLK(W9000) - PARK BRAKE


NOTE: WIRE NUMBERS ON THIS SHEET ARE REFERENCED TO HARNESS PLUGS.



		HWH		I-80 EXIT 267 SOUTH RT 1 MOSCOW, IOWA 52760	
		SCALE 1:3	DATE 01JUL11	DRAWN BY .	
1	18JUL11	UPDATED WIRING			
NO.	DATE	REVISION			
SYSTEM SCHEMATIC ELEC					
THE INFORMATION DISCLOSED ON THIS DRAWING IS CONFIDENTIAL AND MUST NOT BE DISCLOSED OR USED IN ANY MANNER WHICH WILL BE DETRIMENTAL TO THE HWH CORPORATION				DRAWING NUMBER MP90646 A/F	


NOTE: INSTALLATION MUST CONFORM TO GOOD SHOP PRACTICES, SAE STANDARDS, RVIA STANDARDS, AND OTHER APPLICABLE STANDARDS.


FRONT VIEW - AP48446



- PIN
- A1. N/C
 - A2. YELLOW - CAN HIGH
 - A3. N/C
 - A4. N/C
 - A5. N/C
 - A6. BLK(W3210) - RIGHT REAR AIR PRESSURE SWITCH
 - A7. N/C
 - A8. N/C
 - B1. N/C
 - B2. GREEN - CAN LOW
 - B3. N/C
 - B4. N/C
 - B5. N/C
 - B6. N/C
 - B7. N/C
 - B8. BLK(W3215) - SYSTEM AIR PRESSURE SWITCH
 - C1. N/C
 - C2. CAN SHIELD
 - C3. N/C
 - C4. N/C
 - C5. N/C
 - C6. N/C
 - C7. N/C
 - C8. N/C
 - D1. RED(W6122) - SW. BATTERY
 - D2. WHT(W6233) - PRESSURE SWITCH GROUND
 - D3. WHT(W6230) - SYSTEM GROUND
 - D4. N/C
 - D5. BLK(W4210) - LEFT REAR AIR PRESSURE SWITCH
 - D6. N/C
 - D7. N/C
 - D8. N/C


NOTE: WIRE NUMBERS ON THIS SHEET ARE REFERENCED TO HARNESS PLUGS.





DETAIL 'A'

- PIN
1. N/C
 2. RED(W6110) WARNING LED SUPPLY
 3. N/C
 4. N/C
 5. BLK(W7699) WARNING LED CONTROL
 6. N/C




- PIN
- 1 YELLOW CAN HI
 - 2 GREEN CAN LOW
 - 3 CAN SHIELD
 - 4 WHT(W6230) GROUND
 - 5 RED(W6800) POWER

120 OHM
TERMINATION
RESISTOR


RED(W6122)
SHIELD
YELLOW
WHT(W6230)
GREEN

AP48602




NOTE: INSTALLATION MUST CONFORM TO GOOD SHOP PRACTICES, SAE STANDARDS, RVIA STANDARDS, AND OTHER APPLICABLE STANDARDS.




MP90646 C
01JUL11



NOTE: INSTALLATION MUST CONFORM TO GOOD SHOP PRACTICES, SAE STANDARDS, RVIA STANDARDS, AND OTHER APPLICABLE STANDARDS.



NOTE: INSTALLATION MUST CONFORM TO GOOD SHOP PRACTICES, SAE STANDARDS, RVIA STANDARDS, AND OTHER APPLICABLE STANDARDS.



120 OHM
TERMINATION
RESISTOR

RED(W6100) WHT(W6234)
RED(W6122) WHT(W6230)
SHIELD WHT(W6230)
YELLOW GREEN

NOTE: INSTALLATION MUST CONFORM TO GOOD SHOP PRACTICES, SAE STANDARDS, RVIA STANDARDS, AND OTHER APPLICABLE STANDARDS.

AP48602

MP90646 F
18JUL11